

Available online at www.qu.edu.iq/journalcm

JOURNAL OF AL-QADISIYAH FOR COMPUTER SCIENCE AND MATHEMATICS

ISSN:2521-3504(online) ISSN:2074-0204(print)



A Modified Heat Diffusion Based Method for Enhancing Physical Images

Ali Hasan Ali ^a, Mohammed RASHEED ^{b,*}, Suha SHIHAB ^c, Taha RASHID ^d, Saad Hussin Abed Hamad ^e

^a Doctoral School of Mathematical and Computational Sciences, University of Debrecen, H-4002 Debrecen, Pf. 400, Hungary, and Department of Mathematics, College of Education for Pure Sciences, University of Basrah, Basrah, Iraq, e-mail: aliala1@yahoo.com, ali.hasan@science.unideb.hu.

^b Applied Science Department, University of Technology, Baghdad, Iraq, e-mail: rasheed.mohammed40@yahoo.com, 10606@uotechnology.edu.iq

^c Applied Science Department, University of Technology, Baghdad, Iraq, e-mail: alrawy1978@yahoo.com, 100031@uotechnology.edu.iq.

^d Computer and Microelectronics System, Faculty of Engineering, University Technology Malaysia (UTM), Skudai 81310, Johor Bahru, Malaysia, e-mail: tsiam95@gmail.com, taha1988@graduate.utm.my.

^e Saad Husein Abed Hamad- College of Computer Science & Information Technology, Al-Diwaniyah, Iraq, e-mail: shsaadsh2014@gmail.com

ARTICLE INFO

Article history:

Received: 21 /01/2021

Revised form: 21 /02/2021

Accepted : 23 /03/2021

Available online: 23 /03/2021

Keywords:

MATLAB program, color image, mathematical methods, compressed image, physical image.

ABSTRACT

In this paper, we present a new denoising technique based on a modification on the heat equation. This method is mainly presented to enhance some physical images that were carried out in a physical laboratory during some experiments. A one-dimensional example using a vector and a two-dimensional example using matrices are showed in this paper to clarify how applying the modified way of solution on a heat diffusion equation can remove some existing defects in these images. In addition, we are going to make a model for a heat diffusion in two directions x and y and assemble letters from components in matrices to apply our experiment on some other different colorful and greyscale images. Finally, we calculate PSNR values for our method and compare them with some research methods to conclude that enhancing images by removing undesired defects can be done by the proposed method.

MSC. 41A25; 41A35; 41A36.

DOI : <https://doi.org/10.29304/jqcm.2021.13.1.777>

*Corresponding author: Mohammed RASHEED

Email addresses: rasheed.mohammed40@yahoo.com , 10606@uotechnology.edu.iq

Communicated by : Dr. Rana Jumaa Surayh aljanabi

1. Introduction

Image enhancement is the usual goal of the image processing problems. One of the basic image-processing problems is denoising images. In fact, denoising images can be done in many different methods, and by using a variety of different techniques [1-8]. Denoising, as the phrase suggests, can be defined as getting rid of noisy defects from the pixels of images.

Varieties of different research papers have been concentrated in this specific area for a long time, and researchers for achieving good performance for the same reason have proposed many techniques. The new heat diffusion-based method here can be illustrated as using an example from real life to explain the work that we are planning to apply on images for such an enhancement purpose. The proposed method depends mainly on Joseph Fourier idea by considering metal piece that has a length l with two different temperatures on the ends, $0\text{ }^{\circ}\text{C}$ and $100\text{ }^{\circ}\text{C}$ respectively and as illustrated in Figure 1.




Fig. 1 – A metal rod with a different temperature on ends.

The natural heat transfers gradually from places with high temperature to low temperature, and as shown in the previous figure, the temperature $u(x, t)$ depends totally on this diffusion over time. This idea can be represented as a partial differential equation (P.D.E) as

$$\frac{\partial u}{\partial t} = \alpha \nabla^2 u \quad (1)$$

where α represents the thermal diffusivity, $\frac{\partial u}{\partial t}$ is just the partial derivative of u with respect to t , and ∇^2 is the second derivative of the same variable u .

The main purpose of doing such modifications on images is to get some details that are impossible to be seen without modifying the images. Figure 2 shows an example of denoising images, which is the technique that we are going to develop in the next section. In the left side, the original image with some unclear details due to unstable camera handheld or some other reasons that may lead to that and the image in the right side is the result after denoising.




Fig. 2 – An example of denoising an image.

2. Heat Diffusion Equation

Consider Eq. 1 in the previous section, with α representing the thermal diffusivity. The constant α can have different values depending on the material. The high and low values of the heat are comparable to the high and low

concentration of light on an image that results in changing its resolution. More specifically, we are going to take a model of heat transfer in one dimension and two dimensions and apply the explicit method, so we can get an accurate prediction of the diffusion of the heat (where the stability condition is held). In this case, we can noise and de-noise images when the heat is changed. In other words, forward time steps can result in noising images, while the backward time steps can end up with de-noising images. To generalize this to a two-dimensional image, we need to make a model for heat diffusion in two directions x and y . In this case, our function will be in terms of x, y , and t . More precisely, solving the following equation is the idea of image denoising.

$$\partial u / \partial t = \partial^2 u / \partial x^2 + \partial^2 u / \partial y^2 + \alpha(u - u_0) \quad (2)$$

where: $\partial u / \partial t$ is the partial derivative of u with respect to t , $\partial^2 u / \partial x^2$ is the second derivative of the same variable u with respect to x , and $\partial^2 u / \partial y^2$ is the second derivative of the same variable u with respect to y . In fact, α in the right-hand side of Eq. 2 is the actual parameter that can control the similarity of the original image and the modified image (denoised image). In mathematical view, the idea can be described as an optimization problem as

$$k^* = \max_k \{p(k | f)\} \quad (3)$$

where: k represents the solution and $p(k | f)$ is the probability of k occurring given that the observation f occurred, which can be explained as the following:

$$p(k | f) = p(k) \cdot p(f | k) / p(f) \quad (4)$$

Therefore, we can use Eq. 4 to compute the solution, which has been modeled using the same mentioned probability, and a noise reduction can be obtained as the following:

$$p(f | k) = \prod_{(x,y) \in \delta} (1/\sqrt{2\pi\mu}) e^{- (f(x,y)-k(x,y))^2 / 2\mu^2} \quad (5)$$

where: γ^2 is the noise variance, and δ is the set of components that represent pixels in images.

2.1. A vector Example (One Dimension)

In this example, we will create a vector with 100 components and call it U . The vector U has positive numbers on positions 30 to 50 and let this positive number be 10. In addition, there is another positive number on positions 70 to 73 and let this positive number be 15. Finally, the rest of components in U are zeros. Figure 3 shows how the vector looks like.




Fig. 3 – U vector with 100 components.

It is important to mention that the vector U here is representing the 1D image. Intuitively, we can consider this vector in MATLAB as an initial temperature within a long thin wire. Later, we can apply the forward and backward finite difference to see how it will affect this vector.

Taking the time steps $k = 10$ and $\Delta t = 0.00001$ and $\Delta x = 0.01$ to satisfy the CFL condition and to give reasonable denoising for the vector. Applying it within the forward time differences to see how the image is denoised in every iteration. Figure 4 show the result which is done by MATLAB.

Applying the forward time steps

$$\text{new}u_{(i)} = u_{(i)} + \frac{dt}{dx^2} (u_{(i-1)} - 2u_{(i)} + u_{(i+1)}) \quad (6)$$

In order to have the forward heat diffusion model of denoising. On the other hand, the negative time steps as shown here

$$\text{new}u_{(i)} = u_{(i)} - \frac{dt}{dx^2} (u_{(i-1)} - 2u_{(i)} + u_{(i+1)}) \quad (7)$$




Fig. 4 – The effects by Eqns. 6 and 7 on the vector U .

Eq. 7 will be used once the forward time steps be done in order to noise our 1D image (vector). The backward iterations will give an oscillation eventually in the 1D example. However, it is not easy to get enough information about the result of that oscillation in a physical sense completely since we are dealing with one-dimensional array. Therefore, we are going to have two-dimensional array example to see how it is ended up with these iterations.

2.2. A Matrix Example (Two Dimensions)

In this example, we will simulate the acronym of Journal of Al-Qadisiyah for Computer Science and Mathematics (JQCM) from $(m \times n)$ matrices. For example, the letter "J" can be represented by creating $(m \times n)$ matrix of zeros, then nonzero components to form the letter. In other words, this will create the letter as in the binary system that is known by 0 for the idle position, and 1 for the busy position. Figure 5 shows the visualize sparsity pattern that can be done by using the command `spy(matrix)` and a 3D view for the letters in MATLAB.




Fig. 5 – The visualize sparsity pattern of the letter "J".

With the same argument, we can create any combination of letters to represent any word or acronym of our choice. Working on these matrices can show us how the heat equation finite difference can affect these letters. More specifically, the matrix is a good example of two dimensions, and using it in MATLAB can clearly display the changes

that are going to happen within the iterations of the forward and backward differences. Figure 6 below shows the final form of the letters JQCM combined.




Fig. 6 – A 3D view of the acronym of journal of Al-Qadisiyan for Computer Science and Mathematics "JQCM".

Applying the forward time steps (FTS) in two dimensions on those matrices (letters) would be in following form

$$\text{new}u_{(i,j)} = u_{(i,j)} + \frac{dt}{dx^2} (u_{(i-1,j)} - 2u_{(i,j)} + u_{(i+1,j)}) + \frac{dt}{dy^2} (u_{(i,j-1)} - 2u_{(i,j)} + u_{(i,j+1)}) \quad (8)$$

Viewing these letters by using the command (mesh) in MATLAB to view it as an initial temperature within a thin plate, after that, we apply the FTS by taking these numbers for the time steps $k = 50$ and $\Delta t = 0.00001$, $\Delta x = 0.01$, and $\Delta y = 0.01$. We can apply different values, but we should satisfy the CFL condition to see clearly by MATLAB how the letters get blurred which is the technique of denoising images. Figure 7 shows the result on the steps $k = 1, k = 10, k = 20, k = 30, k = 40$, and $k = 50$




Fig. 7 – T Applying Equation (8) with 50 different time steps k.

To see the real effects on the image of the letters (JQCM), MATLAB has a good option for converting matrices to images. In other words, we can use the command `imwrite(matrix)` to convert those alphabetical matrices to a real image and we can see how far we affected those letters, Figure 8 shows the results as images.




Fig. 8 - The sharpening on the "WSU" letters.

3. Denoising as Blurring

As we can clearly see in the previous section in Figure 7 applying Eq. 8 on the proposed example leads to get these letters blurred. In fact, manipulating the intensity of an image by the parameter α in Eq. 2 and controlling Δx and Δy in Eq. 8 will make us obtain different levels of blurring images. Moreover, to obtain a better spectacle for some objects such as a relief in a painting or details of buildings in Google maps...etc. We can set the parameters in Eq. 8 as $\text{Alpha} = dt/dx^2 = dt/dy^2 = 1$ in the negative time steps, and the intensity = 1.2 to bright the image.

$$\text{new}u_{(i,j)} = 1.2 * u_{(i,j)} - 1 * (u_{(i-1,j)} - 2u_{(i,j)} + u_{(i+1,j)}) - 1 * (u_{(i,j-1)} - 2u_{(i,j)} + u_{(i,j+1)}) \quad (9)$$

Moreover, to apply this method on images, we need to work on three different layers (color images). In other words, we have to deal with three matrices for every image. The reason behind that is the color images are decomposed into three colors, red, green, and blue (RGB). Therefore, we will have a matrix of size of $(m \times n \times 3)$. In Matlab, we need to run the diffusion on each of the 3 RGB bands, so we will deal with the red color by dealing with the matrix $(:, :, 1)$, $(:, :, 2)$ for the green color and finally $(:, :, 3)$ for the blue color. We apply here the denoising technique on some images that were carried out in a physical laboratory in some experiments. In fact, one can deal with these images in the same way of dealing with colorful images by dealing with the matrix $(:, :, 1)$, and $(:, :, 2)$ for the green color and finally $(:, :, 3)$ for the blue color. Figure 9 shows three physical images on the left and the same three images on the right after denoising [1-99].




Fig. 9 – Denoising images by Eq. 8 with intensity 1.2 and $\alpha=0.9$.

3.1. PSNR Calculations

The easiest way to define PSNR is via the mean squared error (MSE). Consider a noise-free ($m \times n$) image IM and its noisy approximation K, MSE is defined as:

$$MSE = \frac{1}{mn} \sum_{i=0}^{m-1} \sum_{j=0}^{n-1} [IM(i, j) - K(i, j)]^2 \quad (10)$$

Therefore, PSNR can be defined as

$$PSNR = 10 \cdot \log_{10} \left(\frac{MAX_{IM}^2}{MSE} \right) \quad (11)$$

where: MAX_{IM} represents the maximum possible pixel value of the image.

To validate our proposed method, we test our output images and calculate PSNR values for each image and then we compare the results to methods presented in [9-12]. The reason of calculating Peak signal-to-noise ratio for our output images is to validate the proposed algorithm and to prove that it is a competitive method comparing with other methods.

Table 1 - PSNR calculations with two different intensities.

Denoising with intensity 0.9						Denoising with intensity 1.2				
Name of Image	Ref[9]	Ref[10]	Ref[11]	Ref[12]	Our Method	Ref[9]	Ref[10]	Ref[11]	Ref[12]	Our Method
Image a	31.7458	33.3020	31.3640	33.0258	32.8881	27.1586	26.0021	26.3364	27.1808	26.3604
Image b	32.1236	32.3001	32.9958	32.3190	32.8254	27.1975	27.9951	26.9594	27.3331	27.1027
Image c	34.9603	35.1577	34.3148	34.1001	33.9225	28.2105	29.0325	28.0201	28.3232	28.9001
Mean	32.9432	33.5866	32.8915	33.1483	33.2120	27.5222	27.6765	27.1053	27.6123	27.4544

4. Conclusion

In this paper, we presented a heat diffusion-based method for denoising images using the blurring technique. The blurring technique here can be done by using the proposed equation with such modifications to control the intensity of images for the sake of noise removal. We applied our method on images that we got from physical laboratory. We also made a comparison of PSNR values and showed that our suggested method can be used for this purpose. In addition, we illustrated the method by taking example with a variety of dimensions and applied the forward time steps in the discretization of the heat equation to get rid of some undesired details in an image and to reduce the distinction of the image.

References

- [1] A. A. Hasan, "Modifying Some Iterative Methods for Solving Quadratic Eigenvalue Problems", MSc. Thesis, Wright State University, USA, (2017), 10.13140/RG.2.2.13311.84645.
- [2] M. T. Yaseen, A. H. Ali and I. A. Shanan, "Weighted -arcs of Type and Maximum Size of -arcs in $PG(2,q)$ ", Communications in Mathematics and Applications, vol. 10 (3) (2019), pp. 361-368.
- [3] M. T. Yaseen and A. H. Ali, "A new upper bound for the largest complete (k, n) -arc in $PG(2, 71)$ ", Journal of Physics: Conference Series, vol. 1664 (1) (1664), pp. 012045.
- [4] M. M. Delphi and S. N. Shihab, "State Parameterization Basic Spline Functions for Trajectory Optimization", Journal of Nature, Life and Applied Sciences, vol. 3 (4) (2019), pp. 110-119.
- [5] S. Shihab and M. Delphi, "Direct Iterative Algorithm for Solving Optimal Control Problems Using B-Spline Polynomials", Emirates Journal for Engineering Research, vol. 24 (4) (2019), pp. 1-9.
- [6] M. Delphi and S. Shihab, "Modified Iterative Algorithm for Solving Optimal Control Problems", Open Science Journal of Statistics and Application, vol. 6 (2) (2019), pp. 20-27.
- [7] S. N. Shihab, A. A. Abdulrahman and M. N. Mohammed Ali, "Collocation Orthonormal Bernstein Polynomials Method for Solving Integral Equations", Engineering and Technology Journal, vol. 33 (8) (2015), pp. 1493-1502.
- [8] S. N. Shihab and T. N. Naif, "On the orthonormal Bernstein polynomial of order eight", Open Science Journal of Mathematics and Application, vol. 2 (2) (2014), pp. 15-19.
- [9] S. N. Shihab and A. A. Abdalrehman, "Solving Optimal Control Linear Systems by Using New Third kind Chebyshev Wavelets Operational Matrix of Derivative", Baghdad Science Journal, vol. 11 (2) (2014), pp. 229-234.
- [10] S. N. Shihab and A. A. Abdelrehman, "Some New Relationships Between the Derivatives of First and Second Chebyshev Wavelets", International Journal of Engineering, Business and Enterprise Application, (2012), pp. 64-68.
- [11] S. N. Shihab and A. A. Abdalrehman, "Numerical solution of calculus of variations by using the second Chebyshev wavelets", Engineering and Technology Journal, vol. 30 (18) (2012), pp. 3219-3229.
- [12] S. N. Shehab, H. A. Ali, H. M. Yaseen, "Least squares method for solving integral equations with multiple time lags", Engineering & Technology Journal, vol. 28 (10) (2010), pp. 1893-1899.
- [13] S. N. Al-Rawi, "On the Solution of Certain Fractional Integral Equations", Journal of Kirkuk University-Scientific Studies, vol. 1 (2) (2006).
- [14] S. N. Al-Rawi, R. K. Salih and A. A. Mohammed, "Numerical Solution of Nth Order Linear Delay Differential Equation Using Runge-Kutta Method", Um - Salama Science Journal, vol. 3 (1) (2006), pp. 140-146.
- [15] M. RASHEED, A. A. Abdulrahman, and S. Shihab, "The Effect of Set Partitioning in Hierarchical Trees with Wavelet Decomposition Levels Algorithm for Image Compression", Electronics Science Technology and Application, vol. 7 (3) (2020), pp. 40-46.
- [16] A. A. Abdulrahman, M. RASHEED and S. SHIHAB, "Various Techniques for De-noise Image, Electronics Science Technology and Application, vol. 7 (4) (2020), pp. 79-84.
- [17] A. A. Abdulrahman, M. RASHEED and S. SHIHAB, "Discrete Hermite Wavelet Filters with Prove Mathematical Aspects", Journal of Southwest Jiaotong University, vol. 55 (2) (2020), pp. 1-12.
- [18] A. A. Abdulrahman, M. RASHEED and S. SHIHAB, "Discrete Chebyshev Wavelet Transformation with Image Processing", Journal of Southwest Jiaotong University, vol. 55 (2) (2020), pp. 1-17.
- [19] M. S. Rasheed, H. S. Mahde, "Electronic Combination Lock Design Using Remote Control", Journal of the College of Basic Education, vol. 18 (75) (2012), pp. 265-280.
- [20] M. S. Rasheed and Balqis M. Diah, "Study of the effects of acidic solutions on the physical properties of polymeric materials superimposed", Al-Mustansiriyah Journal of Science, vol. 13 (49) (2002), pp. 6.
- [21] M. RASHEED and M. A. Sarhan, "Solve and Implement the main Equations of Photovoltaic Cell Parameters Using Visual Studio Program", Insight-Mathematics, vol. 1 (1) (2019), pp. 17-25.

- [22] M. Rasheed and M. A. Sarhan, "Characteristics of Solar Cell Outdoor Measurements Using Fuzzy Logic Method", *Insight-Mathematics*, vol. 1 (1) (2019), pp. 1-8.
- [23] M. RASHEED and M. A. Sarhan, "Measuring the Solar Cell Parameters Using Fuzzy Set Technique", *Insight-Electronic*, vol. 1 (1) (2019), pp. 1-9.
- [24] M. RASHEED, "Linear Programming for Solving Solar Cell Parameters", *Insight-Electronic*, vol. 1 (1) (2019), pp. 10-16.
- [25] M. RASHEED, "Investigation of Solar Cell Factors using Fuzzy Set Technique", *Insight-Electronic*, vol. 1 (1) (2019), pp. 17-23.
- [26] M. RASHEED and S. SHIHAB, "Analytical Modeling of Solar Cells", *Insight Electronics*, vol. 1 (2) (2019), pp. 1-9.
- [27] S. SHIHAB and M. RASHEED, "Modeling and Simulation of Solar Cell Mathematical Model Parameters Determination Based on Different Methods", *Insight Mathematics*, vol. 1 (1) (2019), pp. 1-16.
- [28] M. RASHEED and S. SHIHAB, "Parameters Estimation for Mathematical Model of Solar Cell", *Electronics Science Technology and Application*, vol. 6, (1) (2019), pp. 20-28.
- [29] M. Rasheed and S. Shihab, "Numerical Techniques for Solving Parameters of Solar Cell", *Applied Physics*, vol. 3 (1) (2020), pp. 16-27.
- [30] M. RASHEED and S. SHIHAB, "Modifications to Accelerate the Iterative Algorithm for the Single Diode Model of PV Model", *Iraqi Journal of Physics (IJP)*, vol. 18 (47) (2020), pp. 33-43.
- [31] M. S. Rasheed and S. Shihab, "Modelling and Parameter Extraction of PV Cell Using Single-Diode Model". *Advanced Energy Conversion Materials*, 1 (2) (2020), pp. 96-104. Available from: <http://ojs.wiserpub.com/index.php/AECM/article/view/550>.
- [32] M. S. Rasheed and S. Shihab, "Analysis of Mathematical Modeling of PV Cell with Numerical Algorithm". *Advanced Energy Conversion Materials*, vol. 1 (2) (2020), pp. 70-79. Available from: <http://ojs.wiserpub.com/index.php/AECM/article/view/328>.
- [33] M. A. Sarhan, "Effect of Silicon Solar Cell Physical Factors on Maximum Conversion Efficiency Theoretically and Experimentally", *Insight-Electronic*, vol. 1 (1) (2019), pp. 24-30.
- [34] Muna Muzahim Abbas, Mohammed Rasheed, "Solid State Reaction Synthesis and Characterization of Aluminum Doped Titanium Dioxide Nanomaterials", *Journal of Southwest Jiaotong University*, vol. 55 (2), pp. 1-10.
- [35] M. M. Abbas and M. Rasheed, "Solid State Reaction Synthesis and Characterization of Cu doped TiO₂ Nanomaterials", *Journal of Physics: Conference Series*, IOP Publishing, vol. 1795 (2021) 012059. doi:10.1088/1742-6596/1795/1/012059
- [36] M. RASHEED, S. SHIHAB and O. W. Sabah, "An investigation of the Structural, Electrical and Optical Properties of Graphene-Oxide Thin Films Using Different Solvents", *Journal of Physics: Conference Series*. IOP Publishing, 1795 (2021) 012052. doi:10.1088/1742-6596/1795/1/012052
- [37] M. Enneffatia, M. Rasheed, B. Louatia, K. Guidaraa, S. Shihab and R. Barillé, "Investigation of structural, morphology, optical properties and electrical transport conduction of Li_{0.25}Na_{0.75}CdVO₄ compound", *Journal of Physics: Conference Series*. IOP Publishing, 1795 (2021) 012050. doi:10.1088/1742-6596/1795/1/012050.
- [38] M. Rasheed, O. Y. Mohammed, S. Shihab and Aqeel Al-Adili, "A comparative Analysis of PV Cell Mathematical Model", *Journal of Physics: Conference Series*. IOP Publishing, 1795 (2021) 012042. doi:10.1088/1742-6596/1795/1/012042
- [39] M. Rasheed, O. Y. Mohammed, S. Shihab and Aqeel Al-Adili, "Parameters Estimation of Photovoltaic Model Using Nonlinear Algorithms", *Journal of Physics: Conference Series*. IOP Publishing, 1795 (2021) 012058. doi: 10.1088/1742-6596/1795/1/012058
- [40] M. Rasheed, O. Y. Mohammed, S. Shihab and Aqeel Al-Adili, "Explicit Numerical Model of Solar Cells to Determine Current and Voltage", *Journal of Physics: Conference Series*. IOP Publishing, 1795 (2021) 012043. doi: 10.1088/1742-6596/1795/1/012043
- [41] A. A. Abdulrahman, M. RASHEED, S. SHIHAB, "The Analytic of image processing smoothing spaces using wavelet", *Journal of Physics: Conference Series*. IOP Publishing, (2021), in press.
- [42] S. Shihab, M. RASHEED, O. Alabdali and A. A. Abdulrahman, "A Novel Predictor-Corrector Hally Technique for Determining The Parameters for Nonlinear Solar Cell Equation ", *Journal of Physics: Conference Series*. IOP Publishing, (2021), in press.
- [43] S. Shihab, Bushra E. Kashem, M. A. Sarhan and M. Rasheed, "New Exact Operational Shifted Pell Matrices and Their Application in Astrophysics", *Journal of Physics: Conference Series*. IOP Publishing, (2021), in press.
- [44] M. RASHEED, S. Shihab, O. Alabdali and H. H. Hussein, "Parameters Extraction of a Single-Diode Model of Photovoltaic Cell Using False Position Iterative Method", *Journal of Physics: Conference Series*. IOP Publishing, (2021), in press.
- [45] M. RASHEED, O. Alabdali and S. Shihab, "A New Technique for Solar Cell Parameters Estimation of The Single-Diode Model", *Journal of Physics: Conference Series*. IOP Publishing, (2021), in press.
- [46] M. Rasheed and R. Barillé, "Room temperature deposition of ZnO and Al: ZnO ultrathin films on glass and PET substrates by DC sputtering technique", *Optical and Quantum Electronics*, vol. 49 (5) (2017), pp. 1-14.
- [47] M. Rasheed and Régis Barillé, Optical constants of DC sputtering derived ITO, TiO₂ and TiO₂: Nb thin films characterized by spectrophotometry and spectroscopic ellipsometry for optoelectronic devices, *Journal of Non-Crystalline Solids*, vol. 476 (2017), pp. 1-14.
- [48] M. Rasheed and R. Barillé, Comparison the optical properties for Bi₂O₃ and NiO ultrathin films deposited on different substrates by DC sputtering technique for transparent electronics, *Journal of Alloys and Compounds*, vol. 728 (2017), pp. 1186-1198.
- [49] M. M. Abbas and M. RASHEED, "Investigation of structural, Mechanical, Thermal and Optical Properties of Cu Doped TiO₂", *Iraqi Journal of Physics (IJP)*, (2020), in press.
- [50] M. S. Rasheed, "Approximate Solutions of Barker Equation in Parabolic Orbits", *Engineering & Technology Journal*, vol. 28 (3) (2010), pp. 492-499.
- [51] M. S. Rasheed, "An Improved Algorithm For The Solution of Kepler's Equation For An Elliptical Orbit", *Engineering & Technology Journal*, vol. 28 (7) (2010), pp. 1316-1320.
- [52] M. S. Rasheed, "Acceleration of Predictor Corrector Halley Method in Astrophysics Application", *International Journal of Emerging Technologies in Computational and Applied Sciences*, vol. 1 (2) (2012), pp. 91-94.
- [53] M. S. Rasheed, "Fast Procedure for Solving Two-Body Problem in Celestial Mechanics", *International Journal of Engineering, Business and Enterprise Applications*, vol. 1 (2) (2012), pp. 60-63.
- [54] M. S. Rasheed, "Solve the Position to Time Equation for an Object Travelling on a Parabolic Orbit in Celestial Mechanics", *DIYALA JOURNAL FOR PURE SCIENCES*, vol. 9 (4) (2013), pp. 31-38.
- [55] M. S. Rasheed, "Comparison of Starting Values for Implicit Iterative Solutions to Hyperbolic Orbits Equation", *International Journal of Software and Web Sciences (IJSWS)*, vol. 1 (2) (2013), pp. 65-71.
- [56] M. S. Rasheed, "On Solving Hyperbolic Trajectory Using New Predictor-Corrector Quadrature Algorithms", *Baghdad Science Journal*, vol. 11 (1) (2014), pp. 186-192.
- [57] M. S. Rasheed, "Modification of Three Order Methods for Solving Satellite Orbital Equation in Elliptical Motion", *Journal of university of Anbar for Pure science*, vol. 14 (1) (2020), pp. 33-37.
- [58] Mohammed RASHEED, Suha SHIHAB, Taha RASHEED and Tarek Diab Ounis, "Parameters Determination of PV Cell Using Computation Methods", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 1-9.
- [59] Rasha Jalal Mitlif, Mohammed RASHEED, Suha SHIHAB, Taha RASHEED and Saad Hussein Abed Hamed, "Linear Programming Method Application in a Solar Cell", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 10-21.

- [60] Maiada Nazar Mohammedali, Mohammed RASHEED, Suha SHIHAB, Taha RASHEED and Saad Hussein Abed Hamed, "Optimal Parameters Estimation of Silicon Solar Cell Using Fuzzy Logic: Analytical Method", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 22-33.
- [61] Mohammed RASHEED, Osama Alabdali, Suha SHIHAB and Taha RASHID, "Evaluation and Determination of the Parameters of a Photovoltaic Cell by an Iterative Method", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 34-42.
- [62] M. RASHEED, S. SHIHAB, T. RASHID and T. D. Ounis, "Determination of PV Model Parameters Using Bisection and Secant Methods", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13, (1), (2021), 43-54.
- [63] Raghad I Sabri, Mohammed RASHEED, Osama Alabdali, Suha SHIHAB and Taha RASHID, "On Some Properties in Fuzzy Metric Space", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 55-61.
- [64] Maiada Nazar Mohammedali, Mohammed RASHEED, Suha SHIHAB, Taha RASHID and Saad Hussein Abed Hamed, "Fuzzy Set Technique Application: The Solar Cell", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 62-69.
- [65] Mohammed RASHEED, Suha SHIHAB, Taha RASHID and Olfa Maalej, "Determining the Voltage and Power of a Single Diode PV Cell in Matlab by Iteration", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 70-78.
- [66] Mohammed RASHEED, Suha SHIHAB, Taha RASHID and Olfa Maalej, "Numerical Simulation of Photovoltaic Cell", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 79-86.
- [67] Mohammed RASHEED, Suha SHIHAB, Taha RASHID and Marwa Enneffati, "Two Numerical Algorithms for Solving Nonlinear Equation of Solar Cell", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 87-94.
- [68] Mohammed RASHEED, Suha SHIHAB, Taha RASHID and Marwa Enneffati, "Some Step Iterative Method for Finding Roots of a Nonlinear Equation", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 95-102.
- [69] M. A. Sarhan, S. SHIHAB and M. RASHEED, "Some Results on a Two Variables Pell Polynomials", *Al-Qadisiyah Journal of Pure Science*, vol. 26, (1), (2020), pp. 55-70.
- [70] M. RASHEED, S. SHIHAB and T. RASHID, "Two Step and Newton- Raphson Algorithms in the Extraction for the Parameters of Solar Cell", *Al-Qadisiyah Journal of Pure Science*, vol. 26 (1), (2021), pp.143-154.
- [71] M. A. Sarhan, S. SHIHAB and M. RASHEED, "A novel Spectral Modified Pell Algorithm for Solving Singular Differential Equations", *Al-Mustansiriyah Journal of Science*, vol. 32, (1), (2021), pp. 18-24.
- [72] M. RASHEED, S. SHIHAB and T. RASHID, "Extraction of a Photovoltaic Cell's Single-Diode Model Parameters from Equivalent Circuit", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 147-154.
- [73] M. RASHEED, S. SHIHAB and T. RASHID, "Estimation of Single-Diode Model Parameters of PV Cell", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 139-146.
- [74] M. RASHEED, S. SHIHAB and T. RASHID, "The Single Diode Model for PV Characteristics Using Electrical Circuit", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 131-138.
- [75] R. J. Mitlif, M. Rasheed and S. Shihab, "An Optimal Algorithm for a Fuzzy Transportation Problem", *Journal of Southwest Jiaotong University*, vol. 55 (3), (2020).
- [76] R. I. Sabri, M. N. Mohammedali, M. Rasheed and S. Shihab, "Compactness of Soft Fuzzy Metric Space", *Journal of Southwest Jiaotong University*, vol. 55 (3), (2020).
- [77] B. E. Kashem, E. H. Ouda, S. H. Aziz, M. Rasheed and S. Shihab, "Some Results for Orthonormal Boubaker Polynomials with Application", *Journal of Southwest Jiaotong University*, vol. 55 (3), (2020).
- [78] M. N. Mohammedali, R. I. Sabri, M. Rasheed and S. Shihab, "Some Results on G-Normed Linear Spaces", *Journal of Southwest Jiaotong University*, vol. 55 (3), (2020).
- [79] T. Saidani, M. Zaabat, M. S. Aida, R. Barille, M. Rasheed, Y. Almohamed, Influence of precursor source on sol-gel deposited ZnO thin films properties, *Journal of Materials Science: Materials in Electronics*, vol. 28 (13) (2017), pp. 9252-9257.
- [80] K. Guergouria A. Boumezoued, R. Barille, D. Rechenc, M. Rasheed M. Zaabata, ZnO nanopowders doped with bismuth oxide, from synthesis to electrical application, *Journal of Alloys and Compounds*, vol. 791 (2019), pp. 550-558.
- [81] D. Bouras, A. Mecif, R. Barillé, A. Harabi, M. Rasheed, A. Mahdjoub, M. Zaabat, Cu: ZnO deposited on porous ceramic substrates by a simple thermal method for photocatalytic application, *Ceramics International*, vol. 44 (17) (2018), pp. 21546-21555.
- [82] W. Saidi, N. Hfaïdh, M. Rasheed, M. Girtan, A. Megriche, M. EL Maaoui, Effect of B2O3 addition on optical and structural properties of TiO2 as a new blocking layer for multiple dye sensitive solar cell application (DSSC), *RSC Advances*, vol. 6 (73) (2016), pp. 68819-68826.
- [83] A. AUKŠTUOLIS, M. Girtan, G. A. Mousdis, R. Mallet, M. Socol, M. Rasheed, A. Stanculescu, Measurement of charge carrier mobility in perovskite nanowire films by photo-CELIV method, *Proceedings of the Romanian Academy Series a-Mathematics Physics Technical Sciences Information Science*, vol. 18 (1) (2017), pp. 34-41.
- [84] F. Dkhilalli, S. Megdiche, K. Guidara, M. Rasheed, R. Barillé, M. Megdiche, AC conductivity evolution in bulk and grain boundary response of sodium tungstate Na2WO4, *Ionics*, vol. 24 (1) (2018), pp. 169-180.
- [85] F. Dkhilalli, S. M. Borchani, M. Rasheed, R. Barille, K. Guidara, M. Megdiche, Structural, dielectric, and optical properties of the zinc tungstate ZnWO4 compound, *Journal of Materials Science: Materials in Electronics*, vol. 29 (8) (2018), pp. 6297-6307.
- [86] F. Dkhilalli, S. M. Borchani, M. Rasheed, R. Barille, S. Shihab, K. Guidara, M. Megdiche, Characterizations and morphology of sodium tungstate particles, *Royal Society open science*, vol. 5 (8) (2018), pp. 1-12.
- [87] M. Enneffati, B. Louati, K. Guidara, M. Rasheed, R. Barillé, Crystal structure characterization and AC electrical conduction behavior of sodium cadmium orthophosphate, *Journal of Materials Science: Materials in Electronics*, vol. 29 (1) (2018), pp. 171-179.
- [88] E. Kadri, M. Krichen, R. Mohammed, A. Zouari, K. Khirouni, Electrical transport mechanisms in amorphous silicon/crystalline silicon germanium heterojunction solar cell: impact of passivation layer in conversion efficiency, *Optical and Quantum Electronics*, vol. 48 (12) (2016), pp. 1-15.
- [89] E. Kadri, O. Messaoudi, M. Krichen, K. Dhahri, M. Rasheed, E. Dhahri, A. Zouari, K. Khirouni, R. Barillé, Optical and electrical properties of SiGe/Si solar cell heterostructures: Ellipsometric study, *Journal of Alloys and Compounds*, vol. 721 (2017), pp. 779-783.
- [90] E. Kadri, K. Dhahri, A. Zaafouri, M. Krichen, M. Rasheed, K. Khirouni, R. Barillé, Ac conductivity and dielectric behavior of a-Si:H/c-Si1-yGey/p-Si thin films synthesized by molecular beam epitaxial method, *Journal of Alloys and Compounds*, vol. 705 (2017), pp. 708-713.
- [91] N. B. Azaza, S. Elleuch, M. Rasheed, D. Gindre, S. Abid, R. Barille, Y. Abid, H. Ammar, 3-(p-nitrophenyl) Coumarin derivatives: Synthesis, linear and nonlinear optical properties, *Optical Materials*, vol. 96, (2019), pp. 109328.
- [92] M. Enneffati, M. Rasheed, B. Louati, K. Guidara, R. Barillé, Morphology, UV-visible and ellipsometric studies of sodium lithium orthovanadate, *Optical and Quantum Electronics*, vol. 51 (9) (2019), vol. 299.
- [93] Ali Hasan Ali, Mohammed RASHEED, Suha SHIHAB, Taha RASHID and Saad Abed Hamad, "A Novel Blurring and Sharpening Techniques Using Different Images Based on Heat Equations", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 45-57.

-
- [94] Ali Hasan Ali, Mohammed RASHEED, Suha SHIHAB, Taha RASHID and Saad Abed Hamad, "An Effective Color Image Detecting Method for Colorful and Physical Images", Journal of Al-Qadisiyah for Computer Science and Mathematics, vol. 13 (1), (2021), pp. 88-98.
 - [95] M. RASHEED, S. SHIHAB and T. RASHID, "Numerical Solving for Nonlinear Problems Using Iterative Techniques", Journal of Al-Qadisiyah for Computer Science and Mathematics, vol. 13 (1), (2021), pp. 201-209.
 - [96] M. RASHEED, S. SHIHAB and T. RASHID, "An Accurate and Fast Computational Algorithm Based on Hybrid Methods", Journal of Al-Qadisiyah for Computer Science and Mathematics, vol. 13 (1), (2021), pp. 173-183.
 - [97] M. RASHEED, S. SHIHAB and T. RASHID, "Experimental Results for a Nonlinear Equation Using Improved Newton-Raphson Estimation Method", Journal of Al-Qadisiyah for Computer Science and Mathematics, vol. 13 (1), (2021), pp.193-200.
 - [98] M. RASHEED, S. SHIHAB and T. RASHID, "Predictor-Corrector Solutions for Nonlinear Equations", Journal of Al-Qadisiyah for Computer Science and Mathematics, vol. 13 (1), (2021), pp. 210-218.
 - [99] M. RASHEED, S. SHIHAB and T. RASHID, "Comparison Study Between Classic Chord and Inverse Quadratic Interpolation Methods", Journal of Al-Qadisiyah for Computer Science and Mathematics, vol. 13 (1), (2021), pp. 184-192.