

An Effective Color Image Detecting Method for Colorful and Physical Images

Ali Hasan Ali ^a, Mohammed RASHEED ^{b,*}, Suha SHIHAB ^c, Taha RASHID ^d, Anwar AbdulJabbar Sabri ^e, Saad hussein Abed Hamad ^f

^a Doctoral School of Mathematical and Computational Sciences, University of Debrecen, H-4002 Debrecen, Pf. 400, Hungary, and Department of Mathematics, College of Education for Pure Sciences, University of Basrah, Basrah, Iraq, e-mail: aliala1@yahoo.com, ali.hasan@science.unideb.hu.

^b Applied Science Department, University of Technology, Baghdad, Iraq, e-mail: rasheed.mohammed40@yahoo.com, 10606@uotechnology.edu.iq

^c Applied Science Department, University of Technology, Baghdad, Iraq, e-mail: alrawy1978@yahoo.com, 100031@uotechnology.edu.iq.

^d Computer and Microelectronics System, Faculty of Engineering, University Technology Malaysia (UTM), Skudai 81310, Johor Bahru, Malaysia, e-mail: tsiam95@gmail.com, taha1988@graduate.utm.my.

^e Computer and Microelectronics System, Faculty of Engineering, University Technology Malaysia (UTM), Skudai 81310, Johor Bahru, Malaysia, e-mail: abduljabbaralmarhoon@graduate.utm.my.

^f Saad Husein Abed Hamad- College of Computer Science & Information Technology, Al-Diwaniyah, Iraq, e-mail: shsaadsh2014@gmail.com

ARTICLE INFO

Article history:

Received: 21 /01/2021

Revised form: 21 /02/2021

Accepted : 23 /03/2021

Available online: 23 /03/2021

Keywords:

MATLAB program, color image, mathematical methods, compressed image, physical image.

ABSTRACT

In this paper, an effective color detection technique is presented. Color detection techniques are widely used in the image processing area, especially for measuring the amount of a certain color after some modifications on an image to check whether it gets enhanced or not. We test this technique on images that were carried out in a physical laboratory during some experiments. Moreover, we will use this technique to calculate the percentage of the red color before and after "red-eye" removal process. Finally, a comparison of these techniques with some other methods has been achieved.

MSC. 41A25; 41A35; 41A36.

DOI : <https://doi.org/10.29304/jqcm.2021.13.1.778>

*Corresponding author: Mohammed RASHEED

Email addresses: rasheed.mohammed40@yahoo.com , 10606@uotechnology.edu.iq

Communicated by: Dr. Rana Jumaa Surayh aljanabi.

1. Introduction

The color detection technique is considered one of the important techniques in image processing and computer vision. In fact, it has many applications in many areas such as in medical field, physics, computer science and engineering. The focus of this recent work is going to be on measuring colors of modified images as well as presenting ways of image enhancements. For example, noise removal, which is a well-known process, can be carried out using colors detection. In other words, selecting a certain area of a full image by some popular methods can facilitate working on this image, as one will deal with less number of "Hue range" colors in most cases. Moreover, this will help in detecting the rest of other places in the same image, as the first region indicates the existing colors of that image, Figure 1.



Fig. 1 – The color wheel (Hue).

Many approaches to color image detection have been presented over the years. In addition, color detection by region is the widely used approach for splitting color images into multiple regions. The main idea of region color detection can be initialized by selecting a region then extending the work in the surrounding area step by step by merging based movement on single or group of pixels to reach the full area of the image. One of the techniques of region-based color detection is clustering approach. The main issue of the clustering-based color detection is that one must specify the number of clusters and cluster formed based on images and then region merging can be done if the first selected region contained most of image colors (in some cases all colors must be in the selected region). Research study is reviewed on the areas of region color detection and the researchers work are analyzed this technique in many different methods [1-5]. Another important benefit of color detection can be seen in calculating the percentage of a certain color to find whether this color is decreasing or increasing after such modifications. This aspect is useful in red-eye removal where we can check if the red color and its shades are decreasing after such an enhancement on a particular image. More research study that is related to this topic can be found in [1-11]. Therefore, we will present here in this paper our method for detecting colors and apply it on images that were carried out in a physical laboratory during some experiments. Moreover, we will use other different images from a variety of fields. Finally, a comparison of our proposed method with some other methods is showed and discussed. The methods that we are going to compare with can be seen in [1-3].

2. Material and Methods

2.1. Color Spaces

RGB color model comprises of the three added substance primaries red, green and blue. These otherworldly parts are utilized to create any other color [2]. It is a standout amongst the most broadly utilized color for handling and processing of digital image information. Nonetheless, high relationship between channels, blending of chrominance and luminance information makes RGB not a very favorable choice for color analysis and color based

recognition algorithms [1]. RGB is considered a color space originated and it was convenient to describe any color as a combination of the three mentioned colored rays is illustrated in Figure 2.



Fig. 2 – 2 RGB color model.

In fact, RGB is considered one of the most widely used color spaces for processing and storing of digital image data and it is usually the main source to initiate other color spaces such as HSV, TSL, and $Y C_r C_b$. To illustrate this, we start first by defining the normalization of RGB, which is a representation that we can, obtained from the values of this color space by the following procedure:

$$\hat{R} = R/(R + G + B) \quad (1)$$

$$\hat{G} = G/(R + G + B) \quad (2)$$

$$\hat{B} = B/(R + G + B) \quad (3)$$

where: the sum of the normalized components $(\hat{R} + \hat{G} + \hat{B}) = 1$. This normalization can contribute to achieving getting rid of distortions caused by lights and shadows in an image. In addition, it is a way to define other color spaces. Another important color space is the Hue Saturation Lightness (HSL) or Hue Saturation Value (HSV), which can be represented as follows:

$$H = \cos^{-1}((1/2) \times ((R - G) + (R - B)/\sqrt{((R - G)^2 + (R - B)(G - B))})) \quad (4)$$

$$S = 1 - (3(\min(R, G, B))/R + G + B) \quad (5)$$

$$V = (R + G + B)/3 \quad (6)$$

Moreover, the color space Tint, Saturation, Lightness (TSL) that is a transformation of the normalized RGB into more intuitive values, that are close to hue and saturation in their meaning can be defined as follows:

$$T = (1/2\pi) \tan^{-1}(R/\hat{G}) + (1/4), \quad \text{if } \hat{G} > 0, \quad T = (1/2\pi) \tan^{-1}((R/\hat{G}) + (3/4)), \quad \text{if } \hat{G} < 0, \quad T = 0, \quad \text{if } \hat{G} = 0 \quad (7)$$

$$S = \sqrt{\frac{9}{5}(\hat{R}^2 + \hat{G}^2)} \quad (8)$$

$$L = 0.299R + 0.587G + 0.114B \quad (9)$$

where: $\hat{R}$ and $\hat{G}$ are the normalized R and G channels that we explained in Eq. 1. Finally yet importantly, the $Y C_r C_b$ space color (sometimes abbreviated to YCC) is consisting of Y, which is luminance and C_r and C_b are the red-difference and blue-difference chroma components respectively. This color space can be represented simply as:

$$Y = K_R R + K_G G + K_B B \quad (10)$$

$$C_r = R - Y \quad (11)$$

$$C_b = B - Y \quad (12)$$

where: $K_R = 0.299$, $K_G = 0.587$ and $K_B = 0.114$. More color spaces can be found in [10].

2.2. Method Modelling Process

The technique that we use here to calculate the percentage of a specific color in our proposed images is a logical indexing technique that depends on the matrix of RGB values. In other words, determining the pure blue color with no additional blue shades can be obtained by the RGB value (0,0,255). Moreover, the blue color with a range of blue shades can be obtained by manipulating the intensity of the three RGB channels in a way that blue channel dominates. For instance, we can set the range of the red color in MATLAB as $(:,:1) \leq 125$, and the green color as $(:,:2) \leq 125$, and the blue color as $(:,:3) \geq 125$. Table 1 below illustrates the intensity of five shades for the three primary colors, red, green and blue, respectively.

Table 1 - Five different shades of the RGB channels.

RGB Intensity			Red Shades	RGB Intensity			Green Shades	RGB Intensity			Blue Shades
Red	Green	Blue		Red	Green	Blue		Red	Green	Blue	
240	190	190		190	240	190		200	200	250	
250	105	100		105	250	100		140	160	207	
255	0	0		0	255	0		0	0	255	
175	9	2		9	175	9		3	18	165	
120	5	0		7	80	6		8	8	88	

Since every color in the “Color Wheel” and its different shades can be obtained by maintaining the intensity of the primary colors, we can function this feature in MATLAB and determine any color by their value that consists of three numbers, which represent the intensity of the RGB of that color. In other expression, the meant image will be read by MATLAB as an $(m \times n \times 3)$ array, where the third dimension represents the intensity of the primary colors in every pixel. Therefore, we can get any color by setting its RGB values as explained in Table 2.

Table 2 - 2 RGB values in MATLAB.

RGB values intensity	Corresponding color(s)
$(:,:1)=255 \ \& \ (:,:2)=0 \ \& \ (:,:3)=0$	Single color (pure red)
$(:,:1) \leq 255 \ \& \ (:,:2)=0 \ \& \ (:,:3)=0$	Only red shades
$(:,:1)=255 \ \& \ (:,:2) \leq 255 \ \& \ (:,:3) \leq 255$	Red and White shades
$(:,:1) \geq 125 \ \& \ (:,:2) \leq 125 \ \& \ (:,:3) \leq 125$	Mixed red shades

In fact, we are depending here totally on the pure RGB color spaces that are explained in the previous subsection by taking the color and its shades through manipulating the three layers array in MATLAB. In the coming section, we are providing some examples to explain the proposed idea.

3. Experiments and Results

3.1. Binary Images

For the purpose of explaining the idea of the color detection, we provide a simple example using binary images where a binary image can be explained as a 2-dimensional matrix that contains just 0's and 1's values. The components 0's represent the pixels of black region and elements 1's represent the pixels with white region. The skin color area takes the white color in the binary image. The MATLAB function "im2bw" converts skin color segmentation images to binary images after applying the threshold on the components, see Figure 3.




Fig. 3 – A group of binary images.

3.2. Standard RGB Image Example




Fig. 4 – Isolating colors using the proposed method.

Figure 4 shows the calculating the ratio of each three colors using the MATLAB command `"100*(sum(sum(colorIntensity))/(size(ImgName,1)*size(ImgName,2)))`; would give us that the image contains 65311 red pixels, which means that 24.91 % of the image is red. In addition, the image contains 123392 green pixels, which means that 47.07 % of the image is green. Finally, the image contains 65311 blue pixels, which is the same number of pixels for the red color. Summing the three result together would give 96.89 % is the total percent of pixels, which indicates that 3.11 % is lost as shades of the three colors. In fact, these values are the suggested values setting for indicating any other colors for RGB images.

3.3. Physical Images Example




Fig. 5 – Isolating red shades using the proposed method.

Figure 5 shows the calculating the ratio of red shades for the physical images in Figure 5 using the MATLAB command `100*(sum(sum(colorIntensity))/(size(ImgName,1)*size(ImgName,2)))`; would give us that “image a” contains 16667 of red shades pixels, which means that 19.41% of this image is the shades of the red color. In addition, “image b” contains only 95 red shades pixels, which means that the ration of the red shades in this image is less than 0.05%. Finally, the “image c” contains 0 red shades pixels.

3.4. Methods Comparison

In this example, we compare our method of detecting colors with the methods in [1-3] by using an experiment of red eye removal showed in Figure 6 that we previously prepared. In Figure 6 shows the calculation of the ration of six different shades of the red color in the original image and the modified three images (after red eye reduction) in three phases. The six different shades that we will calculate are listed in Table 3.

Table 3 - Six shades of the red color.

RGB Intensity			Red Shades	Color Name
Red	Green	Blue		
255	192	203		Pink
250	105	100		Dark pink
255	0	0		Pure red
175	9	2		Dark red
128	0	0		Maroon
84	4	0		Dark maroon

The comparison is going to be illustrated using a chart with a scale of 10. The maximum number 10 for a shade indicates a full intensity of this shade and the minimum number 1 indicates that this shade has been reduced completely.




Fig. 6 – Four phases of red eye reduction.

Applying the three methods in [1-3] and our proposed method on the images in Figure 6 gives the results illustrated in Figure 7.




Fig. 7 – The comparison of the original image and phase 1.




Fig. 8 – The comparison of the original image and phase 2.




Fig. 9 – The comparison of the original image and phase 3.

It is clear from Figures 7, 8 and 9 that the proposed method is competitive comparing with the methods in [1-3]. In fact, our proposed method overcame the methods [1] and [2] in the last phase of the red eye experiment, and this can be seen in the two shades (128,0,0) and (255,192,203). Many researchers have been used iterative methods for solving non-Linear expressions [12-107].

4. Conclusion

Color detection plays an important role in the field of image processing and many other fields. A new and effective method for detecting colors for different types of images has been presented in this current work. We provided four examples using a variety of images such as binary, colorful, and physical images. In addition, a comparison using an experiment of red eye reduction was illustrated to confirm the validity of our proposed

method. Finally, we showed that our method is competitive method comparing with some popular methods that we listed in the literature.

References

- [1] Z. X. Zifer, T. Wong, B. M. Krafcik, K. L. Léonard and A. L. Vance, "Color detection using chromophore-nanotube hybrid devices", *Nano letters*, vol. 9 (3) (2009), pp. 1028-1033.
- [2] T. M. Mahmoud "A new fast skin color detection technique", *World Academy of Science, Engineering and Technology*, vol. 43 (2008), pp. 501-505.
- [3] M. L. Stanley, R. J. Rader, R. K. Hagerty, J. Rabinovitz, H. S. Oliviero and W. V. Stoecker, "Fuzzy logic color detection: Blue areas in melanoma dermoscopy images", *Computerized Medical Imaging and Graphics*, vol. 38 (5) (2014), pp. 403-410.
- [4] A. A. Hasan, "Modifying Some Iterative Methods for Solving Quadratic Eigenvalue Problems", MSc. Thesis, Wright State University, USA, (2017), 10.13140/RG.2.2.13311.84645.
- [5] R. Buksh, S. Routh, P. Mitra, S. Banik, A. Mallik and S. D. Gupta, "MATLAB based image editing and color detection", *International Journal of Scientific and Research Publications*, vol. 4 (1) (2014), pp. 1-6.
- [6] S. H. Tsai and Y. H. Tseng, "A novel color detection method based on HSL color space for robotic soccer competition", *Computers & Mathematics with Applications*, vol. 64 (5) (2012), pp. 1291-1300.
- [7] M. T. Yaseen, A. H. Ali and I. A. Shanan, "Weighted -arcs of Type and Maximum Size of -arcs in $PG(2,q)$ ", *Communications in Mathematics and Applications*, vol. 10 (3) (2019), pp. 361-368.
- [8] D. Fang, Z. Nanning and X. Jianru, "Image smoothing and sharpening based on nonlinear diffusion equation", *Signal processing*, vol. 88 (11) (2008), pp. 2850-2855.
- [9] M. T. Yaseen and A. H. Ali, "A new upper bound for the largest complete (k, n) -arc in $PG(2, 71)$ ", *Journal of Physics: Conference Series*, vol. 1664 (1) (2018), pp. 012045.
- [10] S. Süstrunk, R. Buckley, and S. Swen, "Standard RGB color spaces", In *Color and Imaging Conference Vol. 1999* (1), pp. 127-134. Society for Imaging Science and Technology.
- [11] Ali Hasan Ali, Mohammed RASHEED, Suha SHIHAB, Taha RASHID and Saad Abed Hamad, "A Novel Blurring and Sharpening Techniques Using Different Images Based on Heat Equations", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 45-57.
- [12] M. M. Delphi and S. N. Shihab, "State Parameterization Basic Spline Functions for Trajectory Optimization", *Journal of Nature, Life and Applied Sciences*, vol. 3 (4) (2019), pp. 110-119.
- [13] S. Shihab and M. Delphi, "Direct Iterative Algorithm for Solving Optimal Control Problems Using B-Spline Polynomials", *Emirates Journal for Engineering Research*, vol. 24 (4) (2019), pp. 1-9.
- [14] M. Delphi and S. Shihab, "Modified Iterative Algorithm for Solving Optimal Control Problems", *Open Science Journal of Statistics and Application*, vol. 6 (2) (2019), pp. 20-27.
- [15] S. N. Shihab, A. A. Abdulrahman and M. N. Mohammed Ali, "Collocation Orthonormal Bernstein Polynomials Method for Solving Integral Equations", *Engineering and Technology Journal*, vol. 33 (8) (2015), pp. 1493-1502.
- [16] S. N. Shihab and T. N. Naif, "On the orthonormal Bernstein polynomial of order eight", *Open Science Journal of Mathematics and Application*, vol. 2 (2) (2014), pp. 15-19.
- [17] S. N. Shihab and A. A. Abdulrehman, "Solving Optimal Control Linear Systems by Using New Third kind Chebyshev Wavelets Operational Matrix of Derivative", *Baghdad Science Journal*, vol. 11 (2) (2014), pp. 229-234.
- [18] S. N. Shihab and A. A. Abdelrehman, "Some New Relationships between the Derivatives of First and Second Chebyshev Wavelets", *International Journal of Engineering, Business and Enterprise Application*, (2012), pp. 64-68.
- [19] S. N. Shihab and A. A. Abdulrehman, "Numerical solution of calculus of variations by using the second Chebyshev wavelets", *Engineering and Technology Journal*, vol. 30 (18) (2012), pp. 3219-3229.
- [20] S. N. Shehab, H. A. Ali, H. M. Yaseen, "Least squares method for solving integral equations with multiple time lags", *Engineering & Technology Journal*, vol. 28 (10) (2010), pp. 1893-1899.
- [21] S. N. Al-Rawi, "On the Solution of Certain Fractional Integral Equations", *Journal of Kirkuk University-Scientific Studies*, vol. 1 (2) (2006).
- [22] S. N. Al-Rawi, R. K. Salih and A. A. Mohammed, "Numerical Solution of Nth Order Linear Delay Differential Equation Using Runge-Kutta Method", *Um - Salama Science Journal*, vol. 3 (1) (2006), pp. 140-146.
- [23] M. RASHEED, A. A. Abdulrahman, and S. Shihab, "The Effect of Set Partitioning in Hierarchical Trees with Wavelet Decomposition Levels Algorithm for Image Compression", *Electronics Science Technology and Application*, vol. 7 (3) (2020), pp. 40-46.
- [24] A. A. Abdulrahman, M. RASHEED and S. SHIHAB, "Various Techniques for De-noise Image, Electronics Science Technology and Application", vol. 7 (4) (2020), pp. 79-84.
- [25] A. A. Abdulrahman, M. RASHEED and S. SHIHAB, "Discrete Hermite Wavelet Filters with Prove Mathematical Aspects", *Journal of Southwest Jiaotong University*, vol. 55 (2) (2020), pp. 1-12.
- [26] A. A. Abdulrahman, M. RASHEED and S. SHIHAB, "Discrete Chebyshev Wavelet Transformation with Image Processing", *Journal of Southwest Jiaotong University*, vol. 55 (2) (2020), pp. 1-17.
- [27] M. S. Rasheed, H. S. Mahde, "Electronic Combination Lock Design Using Remote Control", *Journal of the College of Basic Education*, vol. 18 (75) (2012), pp. 265-280.
- [28] M. S. Rasheed and Balqis M. Diah, "Study of the effects of acidic solutions on the physical properties of polymeric materials superimposed", *Al-Mustansiriyah Journal of Science*, vol. 13 (49) (2002), pp. 6.
- [29] M. RASHEED and M. A. Sarhan, "Solve and Implement the main Equations of Photovoltaic Cell Parameters Using Visual Studio Program", *Insight-Mathematics*, vol. 1 (1) (2019), pp. 17-25.
- [30] M. Rasheed and M. A. Sarhan, "Characteristics of Solar Cell Outdoor Measurements Using Fuzzy Logic Method", *Insight-Mathematics*, vol. 1 (1) (2019), pp. 1-8.
- [31] M. RASHEED and M. A. Sarhan, "Measuring the Solar Cell Parameters Using Fuzzy Set Technique", *Insight-Electronic*, vol. 1 (1) (2019), pp. 1-9.
- [32] M. RASHEED, "Linear Programming for Solving Solar Cell Parameters", *Insight-Electronic*, vol. 1 (1) (2019), pp. 10-16.
- [33] M. RASHEED, "Investigation of Solar Cell Factors using Fuzzy Set Technique", *Insight-Electronic*, vol. 1 (1) (2019), pp. 17-23.
- [34] M. RASHEED and S. SHIHAB, "Analytical Modeling of Solar Cells", *Insight Electronics*, vol. 1 (2) (2019), pp. 1-9.
- [35] S. SHIHAB and M. RASHEED, "Modeling and Simulation of Solar Cell Mathematical Model Parameters Determination Based on Different Methods", *Insight Mathematics*, vol. 1 (1) (2019), pp. 1-16.
- [36] M. RASHEED and S. SHIHAB, "Parameters Estimation for Mathematical Model of Solar Cell", *Electronics Science Technology and Application*, vol. 6, (1) (2019), pp. 20-28.
- [37] M. Rasheed and S. Shihab, "Numerical Techniques for Solving Parameters of Solar Cell", *Applied Physics*, vol. 3 (1) (2020), pp. 16-27.

- [38] M. RASHEED and S. SHIHAB, "Modifications to Accelerate the Iterative Algorithm for the Single Diode Model of PV Model", Iraqi Journal of Physics (IJP), vol. 18 (47) (2020), pp. 33-43.
- [39] M. S. Rasheed and S. Shihab, "Modelling and Parameter Extraction of PV Cell Using Single-Diode Model". Advanced Energy Conversion Materials, 1 (2) (2020), pp. 96-104. Available from: <http://ojs.wiserpub.com/index.php/AECM/article/view/550>.
- [40] M. S. Rasheed and S. Shihab, "Analysis of Mathematical Modeling of PV Cell with Numerical Algorithm". Advanced Energy Conversion Materials, vol. 1 (2) (2020), pp. 70-79. Available from: <http://ojs.wiserpub.com/index.php/AECM/article/view/328>.
- [41] M. A. Sarhan, "Effect of Silicon Solar Cell Physical Factors on Maximum Conversion Efficiency Theoretically and Experimentally", Insight-Electronic, vol. 1 (1) (2019), pp. 24-30.
- [42] Muna Muzahim Abbas, Mohammed Rasheed, "Solid State Reaction Synthesis and Characterization of Aluminum Doped Titanium Dioxide Nanomaterials", Journal of Southwest Jiaotong University, vol. 55 (2), pp. 1-10.
- [43] M. M. Abbas and M. Rasheed, "Solid State Reaction Synthesis and Characterization of Cu doped TiO₂ Nanomaterials", Journal of Physics: Conference Series, IOP Publishing, vol. 1795 (2021) 012059. doi:10.1088/1742-6596/1795/1/012059
- [44] M. RASHEED, S. SHIHAB and O. W. Sabah, "An investigation of the Structural, Electrical and Optical Properties of Graphene-Oxide Thin Films Using Different Solvents", Journal of Physics: Conference Series. IOP Publishing, 1795 (2021) 012052. doi:10.1088/1742-6596/1795/1/012052
- [45] M. Enneffatia, M. Rasheed, B. Louatia, K. Guidaraa, S. Shihab and R. Barillé, "Investigation of structural, morphology, optical properties and electrical transport conduction of Li_{0.25}Na_{0.75}CdVO₄ compound", Journal of Physics: Conference Series. IOP Publishing, 1795 (2021) 012050. doi:10.1088/1742-6596/1795/1/012050.
- [46] M. Rasheed, O. Y. Mohammed, S. Shihab and Aqeel Al-Adili, "A comparative Analysis of PV Cell Mathematical Model", Journal of Physics: Conference Series. IOP Publishing, 1795 (2021) 012042. doi:10.1088/1742-6596/1795/1/012042
- [47] M. Rasheed, O. Y. Mohammed, S. Shihab and Aqeel Al-Adili, "Parameters Estimation of Photovoltaic Model Using Nonlinear Algorithms", Journal of Physics: Conference Series. IOP Publishing, 1795 (2021) 012058. doi: 10.1088/1742-6596/1795/1/012058
- [48] M. Rasheed, O. Y. Mohammed, S. Shihab and Aqeel Al-Adili, "Explicit Numerical Model of Solar Cells to Determine Current and Voltage", Journal of Physics: Conference Series. IOP Publishing, 1795 (2021) 012043. doi: 10.1088/1742-6596/1795/1/012043
- [49] A. A. Abdulrahman, M. RASHEED, S. SHIHAB, "The Analytic of image processing smoothing spaces using wavelet", Journal of Physics: Conference Series. IOP Publishing, (2021), in press.
- [50] S. Shihab, M. RASHEED, O. Alabdali and A. A. Abdulrahman, "A Novel Predictor-Corrector Hally Technique for Determining The Parameters for Nonlinear Solar Cell Equation ", Journal of Physics: Conference Series. IOP Publishing, (2021), in press.
- [51] S. Shihab, Bushra E. Kashem, M. A. Sarhan and M. Rasheed, "New Exact Operational Shifted Pell Matrices and Their Application in Astrophysics", Journal of Physics: Conference Series. IOP Publishing, (2021), in press.
- [52] M. RASHEED, S. Shihab, O. Alabdali and H. H. Hussein, "Parameters Extraction of a Single-Diode Model of Photovoltaic Cell Using False Position Iterative Method", Journal of Physics: Conference Series. IOP Publishing, (2021), in press.
- [53] M. RASHEED, O. Alabdali and S. Shihab, "A New Technique for Solar Cell Parameters Estimation of The Single-Diode Model", Journal of Physics: Conference Series. IOP Publishing, (2021), in press.
- [54] M. Rasheed and R. Barillé, "Room temperature deposition of ZnO and Al: ZnO ultrathin films on glass and PET substrates by DC sputtering technique", Optical and Quantum Electronics, vol. 49 (5) (2017), pp. 1-14.
- [55] M. Rasheed and Régis Barillé, Optical constants of DC sputtering derived ITO, TiO₂ and TiO₂: Nb thin films characterized by spectrophotometry and spectroscopic ellipsometry for optoelectronic devices, Journal of Non-Crystalline Solids, vol. 476 (2017), pp. 1-14.
- [56] M. Rasheed and R. Barillé, Comparison the optical properties for Bi₂O₃ and NiO ultrathin films deposited on different substrates by DC sputtering technique for transparent electronics, Journal of Alloys and Compounds, vol. 728 (2017), pp. 1186-1198.
- [57] M. M. Abbas and M. RASHEED, "Investigation of structural, Mechanical, Thermal and Optical Properties of Cu Doped TiO₂", Iraqi Journal of Physics (IJP), (2020), in press.
- [58] M. S. Rasheed, "Approximate Solutions of Barker Equation in Parabolic Orbits", Engineering & Technology Journal, vol. 28 (3) (2010), pp. 492-499.
- [59] M. S. Rasheed, "An Improved Algorithm For The Solution of Kepler's Equation For An Elliptical Orbit", Engineering & Technology Journal, vol. 28 (7) (2010), pp. 1316-1320.
- [60] M. S. Rasheed, "Acceleration of Predictor Corrector Halley Method in Astrophysics Application", International Journal of Emerging Technologies in Computational and Applied Sciences, vol. 1 (2) (2012), pp. 91-94.
- [61] M. S. Rasheed, "Fast Procedure for Solving Two-Body Problem in Celestial Mechanics", International Journal of Engineering, Business and Enterprise Applications, vol. 1 (2) (2012), pp. 60-63.
- [62] M. S. Rasheed, "Solve the Position to Time Equation for an Object Travelling on a Parabolic Orbit in Celestial Mechanics", DIYALA JOURNAL FOR PURE SCIENCES, vol. 9 (4) (2013), pp. 31-38.
- [63] M. S. Rasheed, "Comparison of Starting Values for Implicit Iterative Solutions to Hyperbolic Orbits Equation", International Journal of Software and Web Sciences (IJSWS), vol. 1 (2) (2013), pp. 65-71.
- [64] M. S. Rasheed, "On Solving Hyperbolic Trajectory Using New Predictor-Corrector Quadrature Algorithms", Baghdad Science Journal, vol. 11 (1) (2014), pp. 186-192.
- [65] M. S. Rasheed, "Modification of Three Order Methods for Solving Satellite Orbital Equation in Elliptical Motion", Journal of university of Anbar for Pure science, vol. 14 (1) (2020), pp. 33-37.
- [66] Mohammed RASHEED, Suha SHIHAB, Taha RASHEED and Tarek Diab Ounis, "Parameters Determination of PV Cell Using Computation Methods", Journal of Al-Qadisiyah for Computer Science and Mathematics, vol. 13 (1), (2021), pp. 1-9.
- [67] Rasha Jalal Mitlif, Mohammed RASHEED, Suha SHIHAB, Taha RASHEED and Saad Hussein Abed Hamed, "Linear Programming Method Application in a Solar Cell", Journal of Al-Qadisiyah for Computer Science and Mathematics, vol. 13 (1), (2021), pp. 10-21.
- [68] Maiada Nazar Mohammedali, Mohammed RASHEED, Suha SHIHAB, Taha RASHEED and Saad Hussein Abed Hamed, "Optimal Parameters Estimation of Silicon Solar Cell Using Fuzzy Logic: Analytical Method", Journal of Al-Qadisiyah for Computer Science and Mathematics, vol. 13 (1), (2021), pp. 22-33.
- [69] Mohammed RASHEED, Osama Alabdali, Suha SHIHAB and Taha RASHID, "Evaluation and Determination of the Parameters of a Photovoltaic Cell by an Iterative Method", Journal of Al-Qadisiyah for Computer Science and Mathematics, vol. 13 (1), (2021), pp. 34-42.
- [70] M. RASHEED, S. SHIHAB, T. RASHID and T. D. Ounis, "Determination of PV Model Parameters Using Bisection and Secant Methods", Journal of Al-Qadisiyah for Computer Science and Mathematics, vol. 13, (1), (2021), 43-54.
- [71] Raghad I Sabri, Mohammed RASHEED, Osama Alabdali, Suha SHIHAB and Taha RASHID, "On Some Properties in Fuzzy Metric Space", Journal of Al-Qadisiyah for Computer Science and Mathematics, vol. 13 (1), (2021), pp. 55-61.
- [72] Maiada Nazar Mohammedali, Mohammed RASHEED, Suha SHIHAB, Taha RASHID and Saad Hussein Abed Hamed, "Fuzzy Set Technique Application: The Solar Cell", Journal of Al-Qadisiyah for Computer Science and Mathematics, vol. 13 (1), (2021), pp. 62-69.

- [73] Mohammed RASHEED, Suha SHIHAB, Taha RASHID and Olfa Maalej, "Determining the Voltage and Power of a Single Diode PV Cell in Matlab by Iteration", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 70-78.
- [74] Mohammed RASHEED, Suha SHIHAB, Taha RASHID and Olfa Maalej, "Numerical Simulation of Photovoltaic Cell", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 79-86.
- [75] Mohammed RASHEED, Suha SHIHAB, Taha RASHID and Marwa Enneffati, "Two Numerical Algorithms for Solving Nonlinear Equation of Solar Cell", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 87-94.
- [76] Mohammed RASHEED, Suha SHIHAB, Taha RASHID and Marwa Enneffati, "Some Step Iterative Method for Finding Roots of a Nonlinear Equation", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 95-102.
- [77] M. A. Sarhan, S. SHIHAB and M. RASHEED, "Some Results on a Two Variables Pell Polynomials", *Al-Qadisiyah Journal of Pure Science*, vol. 26, (1), (2020), pp. 55-70.
- [78] M. RASHEED, S. SHIHAB and T. RASHID, "Two Step and Newton- Raphson Algorithms in the Extraction for the Parameters of Solar Cell", *Al-Qadisiyah Journal of Pure Science*, vol. 26 (1), (2021), pp.143-154.
- [79] M. A. Sarhan, S. SHIHAB and M. RASHEED, "A novel Spectral Modified Pell Algorithm for Solving Singular Differential Equations", *Al-Mustansiriyah Journal of Science*, vol. 32, (1), (2021), pp. 18-24.
- [80] M. RASHEED, S. SHIHAB and T. RASHID, "Extraction of a Photovoltaic Cell's Single-Diode Model Parameters from Equivalent Circuit", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 147-154.
- [81] M. RASHEED, S. SHIHAB and T. RASHID, "Estimation of Single-Diode Model Parameters of PV Cell", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 139-146.
- [82] M. RASHEED, S. SHIHAB and T. RASHID, "The Single Diode Model for PV Characteristics Using Electrical Circuit", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 131-138.
- [83] R. J. Mitlif, M. Rasheed and S. Shihab, "An Optimal Algorithm for a Fuzzy Transportation Problem", *Journal of Southwest Jiaotong University*, vol. 55 (3), (2020).
- [84] R. I. Sabri, M. N. Mohammedali, M. Rasheed and S. Shihab, "Compactness of Soft Fuzzy Metric Space", *Journal of Southwest Jiaotong University*, vol. 55 (3), (2020).
- [85] B. E. Kashem, E. H. Ouda, S. H. Aziz, M. Rasheed and S. Shihab, "Some Results for Orthonormal Boubaker Polynomials with Application", *Journal of Southwest Jiaotong University*, vol. 55 (3), (2020).
- [86] M. N. Mohammedali, R. I. Sabri, M. Rasheed and S. Shihab, "Some Results on G-Normed Linear Spaces", *Journal of Southwest Jiaotong University*, vol. 55 (3), (2020).
- [87] T. Saidani, M. Zaabat, M. S. Aida, R. Barille, M. Rasheed, Y. Almohamed, Influence of precursor source on sol-gel deposited ZnO thin films properties, *Journal of Materials Science: Materials in Electronics*, vol. 28 (13) (2017), pp. 9252-9257.
- [88] K. Guerouria A. Boumezoued, R. Barille, D. Rechme, M. Rasheed M. Zaabata, ZnO nanopowders doped with bismuth oxide, from synthesis to electrical application, *Journal of Alloys and Compounds*, vol. 791 (2019), pp. 550-558.
- [89] D. Bouras, A. Mecif, R. Barillé, A. Harabi, M. Rasheed, A. Mahdjoub, M. Zaabat, Cu: ZnO deposited on porous ceramic substrates by a simple thermal method for photocatalytic application, *Ceramics International*, vol. 44 (17) (2018), pp. 21546-21555.
- [90] W. Saidi, N. Hfaïdh, M. Rasheed, M. Girtan, A. Megriche, M. EL Maaoui, Effect of B2O3 addition on optical and structural properties of TiO2 as a new blocking layer for multiple dye sensitive solar cell application (DSSC), *RSC Advances*, vol. 6 (73) (2016), pp. 68819-68826.
- [91] A. AUKSTUOLIS, M. Girtan, G. A. Mousdis, R. Mallet, M. Socol, M. Rasheed, A. Stanculescu, Measurement of charge carrier mobility in perovskite nanowire films by photo-CELIV method, *Proceedings of the Romanian Academy Series a-Mathematics Physics Technical Sciences Information Science*, vol. 18 (1) (2017), pp. 34-41.
- [92] F. Dkhilalli, S. Megdiche, K. Guidara, M. Rasheed, R. Barillé, M. Megdiche, AC conductivity evolution in bulk and grain boundary response of sodium tungstate Na2WO4, *Ionics*, vol. 24 (1) (2018), pp. 169-180.
- [93] F. Dkhilalli, S. M. Borchani, M. Rasheed, R. Barille, K. Guidara, M. Megdiche, Structural, dielectric, and optical properties of the zinc tungstate ZnWO4 compound, *Journal of Materials Science: Materials in Electronics*, vol. 29 (8) (2018), pp. 6297-6307.
- [94] F. Dkhilalli, S. M. Borchani, M. Rasheed, R. Barille, S. Shihab, K. Guidara, M. Megdiche, Characterizations and morphology of sodium tungstate particles, *Royal Society open science*, vol. 5 (8) (2018), pp. 1-12.
- [95] M. Enneffati, B. Louati, K. Guidara, M. Rasheed, R. Barillé, Crystal structure characterization and AC electrical conduction behavior of sodium cadmium orthophosphate, *Journal of Materials Science: Materials in Electronics*, vol. 29 (1) (2018), pp. 171-179.
- [96] E. Kadri, M. Krichen, R. Mohammed, A. Zouari, K. Khirouni, Electrical transport mechanisms in amorphous silicon/crystalline silicon germanium heterojunction solar cell: impact of passivation layer in conversion efficiency, *Optical and Quantum Electronics*, vol. 48 (12) (2016), pp. 1-15.
- [97] E. Kadri, O. Messaoudi, M. Krichen, K. Dhahri, M. Rasheed, E. Dhahri, A. Zouari, K. Khirouni, R. Barillé, Optical and electrical properties of SiGe/Si solar cell heterostructures: Ellipsometric study, *Journal of Alloys and Compounds*, vol. 721 (2017), pp. 779-783.
- [98] E. Kadri, K. Dhahri, A. Zaafouri, M. Krichen, M. Rasheed, K. Khirouni, R. Barillé, Ac conductivity and dielectric behavior of a-Si:H/c-Si1-yGey/p-Si thin films synthesized by molecular beam epitaxial method, *Journal of Alloys and Compounds*, vol. 705 (2017), pp. 708-713.
- [99] N. B. Azaza, S. Elleuch, M. Rasheed, D. Gindre, S. Abid, R. Barille, Y. Abid, H. Ammar, 3-(p-nitrophenyl) Coumarin derivatives: Synthesis, linear and nonlinear optical properties, *Optical Materials*, vol. 96, (2019), pp. 109328.
- [100] M. Enneffati, M. Rasheed, B. Louati, K. Guidara, R. Barillé, Morphology, UV-visible and ellipsometric studies of sodium lithium orthovanadate, *Optical and Quantum Electronics*, vol. 51 (9) (2019), vol. 299.
- [101] Ali Hasan Ali, Mohammed RASHEED, Suha SHIHAB, Taha RASHID and Saad Abed Hamad, "A Novel Blurring and Sharpening Techniques Using Different Images Based on Heat Equations", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 45-57.
- [102] Ali Hasan Ali, Mohammed RASHEED, Suha SHIHAB, Taha RASHID and Saad Abed Hamad, "A Modified Heat Diffusion Based Method for Enhancing Physical Images", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 77-87.
- [103] M. RASHEED, S. SHIHAB and T. RASHID, "Numerical Solving for Nonlinear Problems Using Iterative Techniques", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 201-209.
- [104] M. RASHEED, S. SHIHAB and T. RASHID, "An Accurate and Fast Computational Algorithm Based on Hybrid Methods", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 173-183.
- [105] M. RASHEED, S. SHIHAB and T. RASHID, "Experimental Results for a Nonlinear Equation Using Improved Newton-Raphson Estimation Method", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp.193-200.
- [106] M. RASHEED, S. SHIHAB and T. RASHID, "Predictor-Corrector Solutions for Nonlinear Equations", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 210-218.
- [107] M. RASHEED, S. SHIHAB and T. RASHID, "Comparison Study Between Classic Chord and Inverse Quadratic Interpolation Methods", *Journal of Al-Qadisiyah for Computer Science and Mathematics*, vol. 13 (1), (2021), pp. 184-192.